

"High Frequency Ceramic Solutions"

2.45 GHz Balun

P/N 2450BL15B050

Detail Specification: 07/11/16

Page 1 of 2

General Specifications

Part Number	2450BL15B050	Phase Difference (degree)	180 ± 10
Frequency (MHz)	2400~2500	Amplitude Difference	2 dB max.
Unbalanced Impedence	50 Ω	Operating Temperature	-40 to +85°C
Differential Balanced Imp.	50 Ω	Storage Temperature	-40 to +85°C
Insertion Loss	1.0 dB max.	Reel Quantity	4000
Return Loss	9.5 dB min.	Power Capacity	3.0 watts max.

Mechanical Dimensions

	In	mm
L	0.079 ± 0.004	2.00 ± 0.10
W	0.049 ± 0.004	1.25 ± 0.10
T	0.033 ± 0.004	0.85 ± 0.10
a	0.012 ± 0.004	0.30 ± 0.10
b	0.008 ± 0.004	0.20 ± 0.10
c	0.012 +.004/-.006	0.30 +0.1/-0.2
g	0.014 ± 0.004	0.35 ± 0.10
p	0.026 ± 0.002	0.65 ± 0.05

Terminal Configuration

No	Function
1	Unbalanced Port
2	GND or DC feed
3	Balanced Port
4	Balanced Port
5	GND
6	NC

Packaging Considerations

P/N Suffix	Packing Style	Bulk	Suffix = S	eg. 2450BL15B050S
		T & R	Suffix = E	eg. 2450BL15B050E
	Evaluation Board	2450BL15B050-EB1SMA		

Mounting Considerations

Without DC feed

With DC feed

Mount these devices with brown mark facing up.

* Line width should be designed to provide proper impedance matching characteristics.

- Solder Resist
- Land
- Through-hole (φ0.3)

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.

"High Frequency Ceramic Solutions"


2.45 GHz Balun

P/N 2450BL15B050

Detail Specification: 07/11/16

Page 2 of 2

Typical Electrical Performance (T=25°C)



More Baluns

www.johansontechnology.com/baluns

RoHS Compliance

www.johansontechnology.com/rohs-compliance

Packaging information

www.johansontechnology.com/tape-reel-packaging

Soldering Information (i.e. recommended profile)

www.johansontechnology.com/ipcsoldering-profile

Layout Files, s-parameters and any other technical questions

www.johansontechnology.com/ask-a-question

MSL Info

www.johansontechnology.com/msl-rating

Recommended Storage Condition and Max Shelf Life

www.johansontechnology.com/recommended-storage-conditions

Antenna layout and tuning techniques

www.johansontechnology.com/tuning

Antenna layout review, tuning, and characterization services

www.johansontechnology.com/ipc-antenna-services

Johanson Technology, Inc. reserves the right to make design changes without notice.
All sales are subject to Johanson Technology, Inc. terms and conditions.



Ver. 2.0

www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2016 Johanson Technology, Inc. All Rights Reserved