

## Infrared (IR) Starboards

Industry Leading High Powered LED Starboards

# **Data Sheet**

Version 1.0

#### Lean & Fast. Made Smarter.

Superior Performance - Stay current with the highest intensity LEDs

**Design Faster** - Use industry standard starboards to shorten development time

Maximum Flexibility - Design to your exact specifications using the full spectrum of Opulent Americas' starboards

Rapid Innovation - Work with Opulent Americas on your custom solution












Surveillance Systems License Plate Scanning Automotive Sensing Machine Vision Night Vision Eye Tracking Systems



#### **Superior Performance with Flexible Options**

- · Evaluate the latest LEDs from top manufacturers
- · Multiple infrared wavelength options
- · Choose the proper beam angle for your application
- · Prototype faster, test multiple options



#### **Custom Solutions**

Opulent Americas operates facilities globally with ISO certifications for the LED lighting, automotive and medical industries. Our North Carolina based office provides quick engineering & sales support with an R&D lab for prototype development and custom solutions. Our in-house global manufacturing capabilities allow for both building in the United States as well as overseas at scale.

### **About Opulent Americas**

Opulent Americas accelerates the adoption of LED technology through simple, modular products and custom designs. Through 30 years of experience, state of the art manufacturing, full traceability and advanced quality controls, Opulent offers leading solid state lighting components, modules and custom solutions. Opulent customers get to market faster, with less resources, at lower costs. Visit opulent-americas.com for more information.

RoHS

# Luminus Infrared (IR) Starboards

## Product Selection Guide


Color	Part Number	Description	Beam Angle	Dominant Wavelength	Vf	Flux (mW)	LED Datasheet	
					@ 350mA, Tj 25C		Link	
Infrared 850nm to 940nm	LST1-01G01-IR01-00	Starboard, Luminus SST-10-IR-B130, 850nm Infrared	130°	850nm	1.5	280	- HERE	
	LST1-01G01-IR02-00	Starboard, Luminus SST-10-IR-B90, 850nm Infrared	90°	850nm	1.5	280		
	LST1-01G01-IR03-00	Starboard, Luminus SST-10-IR-B130, 940nm Infrared	130°	940nm	1.4	225	, TEXAS	
	LST1-01G01-IR04-00	Starboard, Luminus SST-10-IR-B90, 940nm Infrared	90°	940nm	1.4	225		
Far Red 730nm	LST1-01G01-FRD1-00	Starboard, Luminus SST-10-FR-B130, 730nm Far Red	130°	730nm	2.1	310	HERE	

All values shown above are typical. Please reference the marking on the back of the starboard for actual values. Do not look into the light that is emitting from these LEDs as it is harmful to the human eye. Eye injury may result. Use skin and eye protection as necessary. Other beam angles and colors available upon request.

## Maximum Ratings

Part Number	DC Current (A)	Tsp Temp (°C)	Power (W)
LST1-01G01-IR0x	1.5	105	3
LST1-01G01-FRD1	1.5	105	3

#### **Detailed Labeling (back of the starboard)**



These devices emit highly concentrated non-visible infrared light which can be hazardous to the human eye in certain circumstances. When incorporating these devices into a product be sure to follow the safety precautions given in IEC 60825-1 and IEC 62471.



